


CLAIM AMENDMENTS

1. (Original) A compound of the formula



wherein

R is hydrogen, lower alkyl, lower alkoxy, halogen or trifluoromethyl;

R¹ is hydrogen or halogen; or

R and R¹ when adjacent, together with the ring carbon atoms to which they are attached are

–CH=CH–CH=CH–;


R² and R^{2'} are hydrogen, halogen, trifluoromethyl, lower alkoxy or cyano; or

R² and R^{2'} when adjacent, together with the ring carbons to which they are attached are

–CH=CH–CH=CH–, unsubstituted or substituted by one or two substituents selected from lower alkyl or lower alkoxy;

R³ and R^{3'} are hydrogen, lower alkyl or cycloalkyl;


R⁴ and R^{4'} together with the N-atom to which they are attached form a 5 member nitrogen containing heterocyclic ring of the structure



said heterocyclic ring having 0 or 1 additional hetero-atoms selected from sulfur, nitrogen and oxygen, said additional hetero-sulfur atom being a sulfonyl moiety;
 R^5 is hydrogen, hydroxy, lower alkyl, -lower alkoxy, $-(CH_2)_mOH$, $-COOR^3$, $-CON(R^3)_2$, $-N(R^3)CO$ -lower alkyl or $-C(O)R^3$;
 R^6 is lower alkyl;
 X is $-C(O)N(R^6)-$, $-N(R^6)C(O)-$, $-(CH_2)_mO-$, $-O(CH_2)_m-$;
 n is 0, 1, 2, 3 or 4; and
 m is 1, 2 or 3;
 or a pharmaceutically acceptable acid addition salt thereof.

2. (Original) The compound of claim 1 wherein R is methyl.
3. (Original) The compound of claim 1 wherein R is chloro.
4. (Currently Amended) The compound of claim 1 wherein R^2 and $R^{2'}$ are adjacent and taken together with the ~~fig~~ ring carbons to which they are attached to form the group $-CH=CH-CH=CH-$.


5. (Original) The compound of claim 1 having the structure



le

6. (Original) The compound of claim 5 wherein R is methyl.
7. (Original) The compound of claim 5 wherein R is chloro.
8. (Currently Amended) The compound of claim 5 wherein R^2 and $R^{2'}$ are adjacent and taken together with the rig ring carbons to which they are attached to form the group $-\text{CH}=\text{CH}-\text{CH}=\text{CH}-$.

9. (Original) The compound of claim 1 having the structure



Id .


10. (Original) The compound of claim 9 wherein R is methyl.
11. (Original) The compound of claim 9 wherein R is chloro.
12. (Original) The compound of claim 9 wherein R^2 and $R^{2'}$ are adjacent and taken together with the rig carbons to which they are attached to form the group $-\text{CH}=\text{CH}-\text{CH}=\text{CH}-$.

13. (Original) The compound (RS)-6-[3-(acetyl-methyl-amino)-1-oxo-pyrrolidin-1-yl]-N-(3,5-bis-trifluoromethyl-benzyl)-N-methyl-4-o-tolyl-nicotinamide.

14. (Cancelled)

15. (Cancelled)

16. (New) A method of treating a disease selected from the group consisting of emesis, anxiety, depression, inflammatory bowel disease, and migraines in a patient having such disease, comprising administering an effective amount of a compound of formula



wherein

R is hydrogen, lower alkyl, lower alkoxy, halogen or trifluoromethyl;

R¹ is hydrogen or halogen; or


R and R¹ when adjacent, together with the ring carbon atoms to which they are attached are
-CH=CH-CH=CH-;

R² and R^{2'} are hydrogen, halogen, trifluoromethyl, lower alkoxy or cyano; or

R² and R^{2'} when adjacent, together with the ring carbons to which they are attached are
-CH=CH-CH=CH-, unsubstituted or substituted by one or two substituents selected from
lower alkyl or lower alkoxy;

R^3 and $R^{3'}$ are hydrogen, lower alkyl or cycloalkyl;

R^4 and $R^{4'}$ together with the N-atom to which they are attached form a 5 member nitrogen containing heterocyclic ring of the structure



said heterocyclic ring having 0 or 1 additional hetero-atoms selected from sulfur, nitrogen and oxygen, said additional hetero-sulfur atom being a sulfonyl moiety;

R^5 is hydrogen, hydroxy, lower alkyl, -lower alkoxy, $-(CH_2)_mOH$, $-COOR^3$, $-CON(R^3)_2$, $-N(R^3)CO$ -lower alkyl or $-C(O)R^3$;

R^6 is lower alkyl;

X is $-C(O)N(R^6)-$, $-N(R^6)C(O)-$, $-(CH_2)_mO-$, $-O(CH_2)_m-$;

n is 0, 1, 2, 3 or 4; and

m is 1, 2 or 3;

or a pharmaceutically acceptable acid addition salt thereof.

17. (New) A method according to claim 16, which is emesis.

18. (New) A method according to claim 16, which is anxiety.

19. (New) A method according to claim 16, which is depression.

20. (New) A method according to claim 16, which is inflammatory bowel disease.

21. (New) A method according to claim 16, which is ulcerative colitis.

Serial No. 10/616,276
Filed: July 9, 2003

22. (New) A method according to claim 16, which is Crohn's disease.
23. (New) A method according to claim 16, which is migraines.